



AQUA GARANT **FISH FEED**



05/2017

www.aqua-garant.com



Fry Feed

Aqua Start 0,4.....	3
Aqua Start 0,6.....	4
Aqua Start 1,0.....	4
Aqua Start 1,2.....	5
Aqua Start 1,5.....	5



Trout Feed

Aqua Balance.....	6
Aqua Uni.....	7
Aqua Dynamic Semi Swim.....	8
Aqua Dynamic.....	9
Aqua Profi.....	10



Pigmented & Brood Stock Feed

Aqua Profi Pigment.....	11
-------------------------	----



Carp Feed

Aqua Classic.....	12
Aqua Vital Swim.....	13



Specialties

Aqua Catch.....	14
Aqua Wels.....	15



AQUA START 0,4

FRY FEED | 5 kg Bucket

Declaration	0,4 mm
Crude protein	60 %
Crude fat	15 %
Crude fiber	1,5 %
Phosphorus	2,30 %
Vitamin A	25000 I.U.
Vitamin D3	2000 I.U.
Vitamin E	25 mg
Digestible Energy	18,0 MJ

Structure



Composition

Fishmeal SP,
Peas,
Fish oil,
Soy lecithin,
Fish gelatin

Features

- Extruded, slowly sinking growth fry feed
- Fishmeal only in premium quality
- Water-soluble attractants for best palatability and feed acceptance
- With immunostimulators for a high survival rate and healthy fish fry
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Trout

Fishsize		Feedsizes	Water temperature							
g	cm	mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
<0,3	<3	0,4	2,6	3,0	3,4	3,8	4,2	4,6	5,0	4,8

Carp

Fishsize		Feedsizes	Water temperature							
g	cm	mm	10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
<0,3	<3	0,4			7,0	9,0	12,0	15,0	15,0	12,0

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA START 0,6 | 1,0

FRY FEED | 20 kg Bag

Declaration

0,6 mm | 1,0 mm

Crude protein	60 %
Crude fat	15 %
Crude fiber	1,5 %
Phosphorus	2,30 %
Vitamin A	25000 I.U.
Vitamin D3	2000 I.U.
Vitamin E	25 mg
Digestible Energy	18,0 MJ

Structure



Composition

Fishmeal SP,
Peas,
Fish oil,
Soy lecithin,
Fish gelatin

Features

- Extruded, slowly sinking growth fry feed
- Fishmeal only in premium quality
- Water-soluble attractants for best palatability and feed acceptance
- With immunostimulators for a high survival rate and healthy fish fry
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Trout

Fishsize		Feedsize mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
0,3 - 1,0	3-4	0,6	2,2	2,5	2,9	3,2	3,6	3,9	4,3	4,1
1,0 - 2,5	4-6	1,0	1,9	2,2	2,5	2,8	3,1	3,4	3,6	3,4

Carp


Fishsize		Feedsize mm	Water temperature							
g	cm		10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
0,3 - 1,0	3-4	0,6			5,5	7,0	8,0	9,0	9,0	8,0
1,0 - 2,5	4-6	1,0			4,5	6,0	6,5	7,0	7,0	6,0

The recommended values are approximate. The amount of feed must be adapted to the relations of production

Declaration **1,2 mm | 1,5 mm**

Crude protein	53 %
Crude fat	18 %
Crude fiber	1,0 %
Phosphorus	1,60 %
Vitamin A	15000 I.U.
Vitamin D3	3000 I.U.
Vitamin E	300 mg
Digestible Energy	19,3 MJ

Structure



Composition

Fish meal SP,
 Fish oil,
 Wheat gluten,
 Hemoglobin powder SD,
 Wheat meal,
 Wheat,
 Sunflower concentrate

Features

- Extruded, slowly sinking growth fry feed
- Fishmeal only in premium quality
- Water-soluble attractants for best palatability and feed acceptance
- With immunostimulators for a high survival rate and healthy fish fry
- High content of phospholipids promotes the development of the fish
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Trout

Fishsize		Feedsize mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
2,5 - 5	6-8	1,2	1,5	1,8	2,1	2,4	2,7	3,0	3,2	3,0
5-15	8-11	1,5	1,2	1,4	1,7	2,0	2,3	2,6	2,8	2,7

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA BALANCE

TROUT | 25 kg BAG

Declaration

4 mm

Crude protein	43 %
Crude fat	13 %
Crude fiber	3,5 %
Phosphorus	1,10 %
Vitamin A	10000 I.U.
Vitamin D3	1500 I.U.
Vitamin E	200 mg
Digestible Energy	17,3 MJ

Structure



Composition

Fish meal SP,
animal Protein,
Sunflower concentrate,
Oat,
Wheat,
Blood meal SD,
Rapeseed cake,
Wheat meal,
Hemoglobin powder SD,
Fish oil,
Rapeseed oil

Features

- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from pork and poultry from verified quality
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsize mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
50-150	16-22	4	0,8	1,1	1,2	1,4	1,7	1,9	2,2	2,0
150-350	22-31	4	0,7	0,8	0,9	1,2	1,4	1,7	1,9	1,8
350-600	31-36	4	0,6	0,7	0,8	0,9	1,2	1,4	1,5	1,4
>600	>36	4	0,5	0,6	0,7	0,8	1,0	1,2	1,3	1,3

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA UNI

TROUT | 10 kg, 25 kg Bag

Declaration	2 mm	3 mm 4 mm 6 mm
Crude protein	45 %	45 %
Crude fat	16 %	16 %
Crude fiber	2,4 %	2,6 %
Phosphorus	1,20 %	1,20 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	18,5 MJ	18,5 MJ

Structure



Composition

Fishmeal SP,
animal Protein,
Sunflower concentrate,
Wheat,
Blood meal SD,
Wheat meal,
Rapeseed cake,
Fish oil,
Rapeseed oil

Features

- Extruded, slowly sinking growth feed for salmonids
- Universally useable, even in unfavorable environmental conditions
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize			Water temperature							
g	cm	Feedsizes mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	1,1	1,3	1,6	1,8	2,0	2,4	2,8	2,6
50-150	16-22	3	0,8	1,1	1,2	1,4	1,7	1,9	2,2	2,0
150-350	22-31	4	0,7	0,8	0,9	1,2	1,4	1,7	1,9	1,8
350-600	31-36	6	0,6	0,7	0,8	0,9	1,2	1,4	1,5	1,4
>600	>36	6	0,5	0,6	0,7	0,8	1,0	1,2	1,3	1,3

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA DYNAMIC SEMISWIM TROUT | 20 kg Bag

Declaration	2 mm	3 mm 4 mm
Crude protein	44 %	42 %
Crude fat	18 %	22 %
Crude fiber	1,0 %	2,0 %
Phosphorus	1,00 %	0,90 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	19,7 MJ	20,0 MJ

Structure



Composition

Fishmeal SP,
Wheat,
animal Protein,
Wheat meal,
Wheat gluten,
Sunflower concentrate,
Rapeseed oil,
Fish oil,
Blood meal SD,
Rapeseed cake

Features

- Extruded, mostly swimming growth feed for salmonids
- Universally useable, even in unfavorable environmental conditions
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize			Water temperature							
g	cm	Feedsizes mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	0,9	1,1	1,3	1,5	1,7	2,0	2,3	2,2
50-150	16-22	3	0,7	0,9	1,0	1,2	1,4	1,6	1,8	1,7
150-350	22-31	4	0,6	0,7	0,8	1,0	1,2	1,4	1,6	1,5
350-600	31-36	4	0,5	0,6	0,7	0,8	1,0	1,2	1,3	1,2
>600	>36	4	0,4	0,5	0,6	0,7	0,9	1,0	1,1	1,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production

Declaration	2 mm	3 mm 4 mm 6 mm
Crude protein	44 %	42 %
Crude fat	18 %	22 %
Crude fiber	2,0 %	2,0 %
Phosphorus	1,15 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	19,7 MJ	20,0 MJ

Structure



Composition

Fishmeal SP,
animal Protein,
Sunflower concentrate,
Wheat,
Fish oil,
Rapeseed oil,
Blood meal SD,
Wheat meal,
Rapeseed cake

Features

- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- High fish oil content
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize			Water temperature							
g	cm	mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	0,9	1,1	1,3	1,5	1,7	2,0	2,3	2,2
50-150	16-22	3	0,7	0,9	1,0	1,2	1,4	1,6	1,8	1,7
150-350	22-31	4	0,6	0,7	0,8	0,1	1,2	1,4	1,6	1,5
350-600	31-36	6	0,5	0,6	0,7	0,8	1,0	1,2	1,3	1,2
>600	>36	6	0,4	0,5	0,6	0,7	0,9	1,0	1,1	1,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA PROFİ

TROUT | 25 kg Bag

Declaration	2 mm	3 mm	4 mm 6 mm
Crude protein	47 %	44 %	42 %
Crude fat	21 %	22 %	23 %
Crude fiber	1,5 %	2,0 %	2,0 %
Phosphorus	1,20 %	1,15 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg	200 mg
Digestible Energy	20,5 MJ	20,5 MJ	20,8 MJ

Structure



Composition

Fishmeal SP,
animal Protein,
Sunflower concentrate,
Wheat,
Fish oil,
Rapeseed oil,
Wheat meal,
Blood meal SD,
Hemoglobin powder SD,
Rapeseed cake

Features

- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- High fish oil content
- Rapeseed oil in food grade
- High digestibility for low feed quotient and low water contamination
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizе mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	0,9	1,1	1,3	1,5	1,7	2,0	2,3	2,2
50-150	16-22	3	0,7	0,9	1,0	1,2	1,4	1,6	1,8	1,7
150-350	22-31	4	0,6	0,7	0,8	1,0	1,2	1,4	1,6	1,5
350-600	31-36	6	0,5	0,6	0,7	0,8	1,0	1,2	1,3	1,2
>600	>36	6	0,4	0,5	0,6	0,7	0,9	1,0	1,1	1,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA PROFI PIGMENT

TROUT | 25 kg Bag

Declaration

4 mm | 6 mm

Crude protein	42 %
Crude fat	23 %
Crude fiber	2,0 %
Phosphorus	1,10 %
Vitamin A	10000 I.U.
Vitamin D3	1500 I.U.
Vitamin E	200 mg
Digestible Energy	20,8 MJ
Canthaxanthin	25 mg
Astaxanthin	40 mg

Structure



Composition

Fishmeal SP,
animal Protein,
Sunflower concentrate,
Wheat,
Fish oil,
Rapeseed oil,
Wheat meal,
Blood meal SD,
Hemoglobin powder SD,
Rapeseed cake

Features

- Required red fleshiness in 4 - 6 weeks
- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- High fish oil content
- Rapeseed oil in food grade
- High digestibility for low feed quotient and low water contamination
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsize mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
150-350	22-31	4	0,6	0,7	0,8	1,0	1,2	1,4	1,6	1,5
350-600	31-36	6	0,5	0,6	0,7	0,8	1,0	1,2	1,3	1,2
>600	>36	6	0,4	0,5	0,6	0,7	0,9	1,0	1,1	1,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA CLASSIC

CARP | 25 kg Bag

Declaration	2 mm	4 mm 6 mm 8 mm
Crude protein	33 %	30 %
Crude fat	9 %	9 %
Crude fiber	4,0 %	5,0 %
Phosphorus	1,30 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1750 I.U.
Vitamin E	200 mg	175 mg
Digestible Energy	16,8 MJ	16,3 MJ

Structure



Composition

Wheat,
Distillers grain,
Rapeseed cake,
animal Protein,
Blood meal SD,
Fish meal SP,
Fish oil

Features

- Extruded, slowly sinking growth feed for carp
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- With fish oil for high omega-3 content in meat
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizes	Water temperature							
g	cm	mm	10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
10-100	10-18	2	1,0	2,0	3,0	3,5	4,3	5,0	5,0	4,0
100-350	18-35	4	1,0	1,7	2,5	3,0	3,5	4,0	4,0	3,2
>350	>35	6	0,5	1,0	1,8	2,2	2,5	2,8	3,0	2,5

The recommended values are approximate. The amount of feed must be adapted to the relations of production.

AQUA VITAL SWIM

CARP | 20 kg Bag

Declaration	2 mm	4 mm 6 mm
Crude protein	33 %	30 %
Crude fat	9 %	9 %
Crude fiber	3,5 %	4,5 %
Phosphorus	1,25 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1750 I.U.
Vitamin E	200 mg	175 mg
Digestible Energy	16,8 MJ	16,3 MJ

Structure



Composition

Wheat,
Distillers grain,
Rapeseed cake,
Wheat meal,
animal Protein,
Blood meal SD,
Fish meal SP,
Fish oil,

Features

- Extruded, swimming growth feed for carp
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- With fish oil for high omega-3 content in meat
- Rapeseed oil in food grade
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize			Water temperature							
g	cm	Feedsizes mm	10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
10-100	10-18	2	1,0	2,0	3,0	3,5	4,3	5,0	5,0	4,0
100-350	18-35	4	1,0	1,7	2,5	3,0	3,5	4,0	4,0	3,2
>350	>35	6	0,5	1,0	1,8	2,2	2,5	2,8	3,0	2,5

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA CATCH

TROUT | 25 kg Bag, 10 kg Bucket

Declaration 20 mm

Crude protein	40 %
Crude fat	21 %
Crude fiber	1,5 %
Phosphorus	0,80 %
Vitamin A	10000 I.U.
Vitamin D3	1500 I.U.
Vitamin E	200 mg
Digestible Energy	20,3 MJ

Structure



Composition

Fish meal,
Soybean meal,
Wheat,
Fish oil,
Corn gluten,
Wheat gluten,
herbal Fat,
animal Fat

Features

- 20 mm pellet
- Contains fish meal and fish oil
- Very stable in water
- ideal for fishing
- through the center hole useable for boilie-system
- due to the strong attraction of the feed pellets, this feed is suitable for very well heavily exploited waters and experienced fishes
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide

The high oil and fish meal content of Aqua Catch exerts a strong attractant effect on fish. The pellet diameter of 20 mm causes that mainly large fishes can eat these pellets.

Aqua Catch is also used as baits for big carps and catfishes. The high water stability of the pellet guarantees a long attractants.


Further, Aqua Catch is used for boilie-system fishing.

AQUA WELS SWIM

AFRICAN CATFISH | BigBag

Declaration	2 mm	3 mm 4 mm
Crude protein	46 %	44 %
Crude fat	12 %	12 %
Crude fiber	1,5 %	1,5 %
Phosphorus	1,10 %	1,05 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	17,2 MJ	16,8 MJ

Struktur



Zusammensetzung

Fishmeal SP,
Wheat,
Soy protein concentrate,
animal Protein,
Wheat gluten,
Wheat meal,
Fish oil,
Rapeseed oil

Eigenschaften

- Extruded, swimming growth feed
- for african catfish
- designed for hot water circulation systems
- Fishmeal only in premium quality
- high content of fish meal
- Rapeseed oil in food grade
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide

The daily amount of feed depends on the type of the circulatory system, the dimension of the filter, the water temperature and the type of the feed administration.



AQUA-GARANT: YOUR REGIONAL PARTNER

Quality & Safety

are ensured through ongoing raw material & product controls in our own laboratory as well as all major certifications (Global G.A.P., GMP+).

Research & Development

In cooperation with acknowledged institutions the latest scientific developments and current customer requirements are implemented.

Extensive distribution network

Aqua-Garant and its partners supply most of Middle and Eastern Europe. Please visit www.aqua-garant.com for contact details of your regional partner.



Producer

Garant-Tiernahrung Gesellschaft m.b.H. | Raiffeisenstraße 3 | 3380 Pöchlarn, Austria
T +43 2757/2281-0 | F +43 2757/2281-67101 | E office@garant.co.at | I www.garant.co.at