



AQUA GARANT

QUALITY FISH FEED





Fry Feed

Aqua Start 0,3	3
Aqua Start 0,5	4
Aqua Start 0,7	4
Aqua Start 1,0	5
Aqua Start 1,5	5



Trout Feed

Aqua Uni.....	6
Aqua Balance	7
Aqua Dynamic	8
Aqua Profi	9
Aqua Dynamic Swim	10



Pigmented Feed

Aqua Profi Pigment.....	11
Aqua Pigment Swim.....	12



Carp Feed

Aqua Classic	13
Aqua Omega.....	14
Aqua Vital Swim	15




Special Feed

African Catfish:

Aqua Wels swim.....	16
Aqua Catfish swim	17

European Catfish: Aqua Uni.....

Sturgeon: Aqua Caviar



AQUA START 0,3**FRY FEED | 5 kg Bucket**

Declaration	0,3 mm
Crude protein	57 %
Crude fat	17 %
Crude fiber	0,5 %
Phosphorus	1,80 %
Vitamin A	7500 I.U.
Vitamin D3	1125 I.U.
Vitamin E	400 mg
Digestible Energy	19,7 MJ

Structure**Composition**

Fishmeal SP,
Fish oil,
Wheat gluten,
Maize starch,
Yeast,
Lecithin,
Fish protein concentrate

Features

- Extruded, slowly sinking growth fry feed
- Fishmeal only in premium quality
- Water-soluble attractants for best palatability and feed acceptance
- With immunostimulators for a high survival rate and healthy fish fry
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)**Trout**

Fishsize g	Feedsizes mm	Water temperature							
		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
<0,15	0,3	2,0	2,5	3,0	3,3	3,7	4,0	4,4	3,8

Carp

Fishsize g	Feedsizes mm	Water temperature							
		10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
<0,3	0,3	2,5	3,3	4,9	5,8	6,4	6,6	6,0	4,5

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA START 0,5 | 0,7

FRY FEED | Bag

Declaration

0,5 mm | 0,7 mm

Crude protein	53 %
Crude fat	18 %
Crude fiber	0,5 %
Phosphorus	1,70 %
Vitamin A	7500 I.U.
Vitamin D3	1125 I.U.
Vitamin E	400 mg
Digestible Energy	19,7 MJ
Gebinde	10 kg Bag 20 kg Bag

Structure



Composition

Fishmeal SP,
Soy protein concentrate,
Fish oil,
Manioc starch,
Wheat gluten,
Wheat,
Lecithin

Features

- Extruded, slowly sinking growth fry feed
- Fishmeal only in premium quality
- Water-soluble attractants for best palatability and feed acceptance
- With immunostimulators for a high survival rate and healthy fish fry
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Trout

Fishsize g	Feedsizes mm	Water temperature							
		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
0,15 – 0,5	0,5	1,8	2,3	2,8	3,1	3,5	3,7	4,0	3,6
0,5 – 1,0	0,7	1,6	2,1	2,6	2,9	3,3	3,5	3,7	3,4


Carp

Fishsize g	Feedsizes mm	Water temperature							
		10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
0,3 – 4,0	0,7	1,8	2,8	4,3	5,0	5,2	5,4	5,0	3,8

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA START 1,0 | 1,5**FRY FEED | 25 kg Bag**

Declaration	1,0 mm	1,5 mm
Crude protein	56 %	50 %
Crude fat	15 %	20 %
Crude fiber	0,7 %	0,7 %
Phosphorus	1,60 %	1,40 %
Vitamin A	7500 I.U.	12500 I.U.
Vitamin D3	1125 I.U.	2250 I.U.
Vitamin E	400 mg	250 mg
Digestible Energy	19,5 MJ	20,0 MJ
		++

Structure**Composition**

Fish meal SP,
Wheat,
Poultry meal,
Hemoglobin powder,
Rapeseed oil,
Maize gluten,
Fish oil,
Poultry fat

Features

- Extruded, slowly sinking growth fry feed
- Fishmeal only in premium quality
- Water-soluble attractants for best palatability and feed acceptance
- With immunostimulators for a high survival rate and healthy fish fry
- High content of phospholipids promotes the development of the fish
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)**Trout**

Fishsize g	Feedsizes mm	Water temperature							
		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
2,5 - 5	1,0	1,2	1,4	1,7	2,2	2,5	2,7	2,8	2,7
5 - 15	1,5	1,0	1,2	1,5	1,9	2,1	2,3	2,5	2,4

Carp

Fishsize g	Feedsizes mm	Water temperature							
		10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
2 - 8	1,5	1,5	2,4	3,3	3,7	4,1	4,5	4,0	3,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production.



AQUA UNI

TROUT | 10 kg, 25 kg Bag

Declaration	2 mm	3 mm 4 mm 6 mm
Crude protein	47 %	45 %
Crude fat	16 %	16 %
Crude fiber	2,0 %	2,0 %
Phosphorus	1,30 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	18,0 MJ	18,0 MJ
vitatec	++	

Structure



Composition

Wheat,
Poultry meal,
Sunflower concentrate,
Fishmeal SP,
Hemoglobin powder
Rapeseed oil,
Faba bean,
Fish oil,
Poultry fat

Features

- Extruded, slowly sinking growth feed for salmonids
- Universally useable, even in unfavorable environmental conditions
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizesize mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	0,9	1,2	1,4	1,6	1,8	2,1	2,2	2,0
50-150	16-22	3	0,7	1,0	1,1	1,3	1,5	1,8	1,9	1,6
150-350	22-31	4	0,6	0,8	0,9	1,1	1,3	1,5	1,6	1,4
350-600	31-36	6	0,5	0,7	0,8	0,9	1,1	1,3	1,4	1,2
>600	>36	6	0,4	0,6	0,7	0,8	1,0	1,1	1,2	1,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA BALANCE

TROUT | 25 kg Bag

Declaration

3 mm | 4 mm | 6 mm

Crude protein	44 %
Crude fat	22 %
Crude fiber	1,5 %
Phosphorus	1,05 %
Vitamin A	10000 I.U.
Vitamin D3	1500 I.U.
Vitamin E	200 mg
Digestible Energy	19,5 MJ

Structure



Composition

Wheat,
Poultry meal,
Fishmeal SP,
Sunflower concentrate,
Rapeseed oil,
Faba bean,
Hemoglobin powder,
Fish oil,
Poultry fat

Features

- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- High fish oil content
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizesize mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
50-150	16-22	3	0,7	0,9	0,9	1,1	1,3	1,5	1,6	1,4
150-350	22-31	4	0,6	0,7	0,7	0,9	1,1	1,2	1,3	1,2
350-600	31-36	4	0,5	0,6	0,6	0,7	0,9	1,0	1,1	1,0
>600	>36	6	0,4	0,5	0,5	0,6	0,8	0,9	1,0	0,9

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA DYNAMIC

TROUT | 25 kg Bag

Declaration	2 mm	3 mm	4 mm	6 mm
Crude protein	46 %	45 %	44 %	43 %
Crude fat	22 %	25 %	27 %	29 %
Crude fiber	1,5 %	1,5 %	1,5 %	1,5 %
Phosphorus	1,20 %	1,15 %	1,10 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg	200 mg	200 mg
Digestible Energy	20,0 MJ	20,5 MJ	21,0 MJ	21,5 MJ

Structure



Composition

Poultry meal,
Wheat,
Fishmeal SP,
Rapeseed oil,
Sunflower concentrate,
Hemoglobin powder,
Poultry fat,
Fish oil

Features

- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- High fish oil content
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizes	Water temperature							
g	cm	mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	0,9	1,1	1,2	1,4	1,6	1,8	1,9	1,8
50-150	16-22	3	0,7	0,9	0,9	1,1	1,3	1,5	1,6	1,4
150-350	22-31	4	0,6	0,7	0,7	0,9	1,1	1,2	1,3	1,2
350-600	31-36	6	0,5	0,6	0,6	0,7	0,9	1,0	1,1	1,0
>600	>36	6	0,4	0,5	0,5	0,6	0,8	0,9	1,0	0,9

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA PROFI

TROUT | 25 kg Bag

Declaration	2 mm	3 mm	4 mm	6 mm
Crude protein	46,5 %	45,5 %	44,5 %	43,5 %
Crude fat	22 %	23 %	24 %	25 %
Crude fiber	1,5 %	1,5 %	1,5 %	1,5 %
Phosphorus	1,20 %	1,15 %	1,10 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg	200 mg	200 mg
Digestible Energy	20,0 MJ	20,2 MJ	20,4 MJ	20,6 MJ
vitatec	++	++	++	++

Structure



Composition

Fishmeal SP,
Poultry meal,
Wheat,
Rapeseed oil,
Sunflower concentrate,
Hemoglobin powder,
Poultry fat,
Fish oil

Features

- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- High fish oil content
- Rapeseed oil in food grade
- High digestibility for low feed quotient and low water contamination
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizes	Water temperature							
g	cm	mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	0,9	1,1	1,3	1,5	1,7	1,9	2,0	1,9
50-150	16-22	3	0,7	0,9	1,0	1,2	1,4	1,6	1,7	1,5
150-350	22-31	4	0,6	0,7	0,8	1,0	1,2	1,3	1,4	1,3
350-600	31-36	6	0,5	0,6	0,7	0,8	1,0	1,1	1,2	1,1
>600	>36	6	0,4	0,5	0,6	0,7	0,9	1,0	1,1	1,0

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA DYNAMIC SWIM

TROUT | 20 kg Bag

Declaration	2 mm	3 mm 4,5 mm
Crude protein	45 %	42,5 %
Crude fat	18 %	22 %
Crude fiber	1,0 %	1,5 %
Phosphorus	1,10 %	1,00 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	19,0 MJ	19,5 MJ
vitatec	++	

Structure



Composition

Wheat,
Poultry meal,
Fishmeal SP,
Rapeseed oil,
Hemoglobin powder,
Sunflower concentrate,
Fish oil,
Poultry fat,
Wheat gluten

Features

- Extruded, mostly swimming growth feed for salmonids
- Universally useable, even in unfavorable environmental conditions
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizes	Water temperature							
g	cm	mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
15-50	11-16	2	0,9	1,2	1,4	1,6	1,8	2,1	2,2	2,0
50-150	16-22	3	0,7	1,0	1,1	1,3	1,5	1,8	1,9	1,6
150-350	22-31	4,5	0,6	0,8	0,9	1,1	1,3	1,5	1,6	1,4
350-600	31-36	4,5	0,5	0,7	0,8	0,9	1,1	1,3	1,4	1,2
>600	>36	4,5	0,4	0,6	0,7	0,8	1,0	1,1	1,2	1,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA PROFI PIGMENT

TROUT | 25 kg Bag

Declaration	4 mm	6 mm
Crude protein	44,5 %	43,5 %
Crude fat	24 %	25 %
Crude fiber	1,5 %	1,5 %
Phosphorus	1,10 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	20,4 MJ	20,6 MJ
Astaxanthin	60 mg	60 mg
	++	++

Structure



Composition

Fishmeal SP,
Poultry meal,
Sunflower concentrate,
Wheat,
Rapeseed oil,
Maize gluten,
Hemoglobin powder,
Poultry fat,
Fish oil

Features

- Required red fleshiness in 4 - 6 weeks
- Extruded, slowly sinking growth feed for salmonids
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- High fish oil content
- Rapeseed oil in food grade
- High digestibility for low feed quotient and low water contamination
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize		Feedsizes mm	Water temperature							
g	cm		4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
150-350	22-31	4	0,6	0,7	0,8	1,0	1,2	1,3	1,4	1,3
350-600	31-36	6	0,5	0,6	0,7	0,8	1,0	1,1	1,2	1,1
>600	>36	6	0,4	0,5	0,6	0,7	0,9	1,0	1,1	1,0

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA PIGMENT SWIM

TROUT | 20 kg Bag

Declaration

4,5 mm

Crude protein	42,5 %
Crude fat	22 %
Crude fiber	1,5 %
Phosphorus	1,0 %
Vitamin A	10000 I.U.
Vitamin D3	1500 I.U.
Vitamin E	200 mg
Digestible Energy	20,0 MJ
Astaxanthin	60 mg

Structure



Composition

Wheat,
Poultry meal,
Fishmeal SP,
Rapeseed oil,
Maize gluten,
Sunflower concentrate,
Poultry fat,
Hemoglobin powder,
Wheat gluten,
Fish oil

Features

- Required red fleshiness in 4 - 6 weeks
- Extruded, mostly swimming growth feed for salmonids
- Universally useable, even in unfavorable environmental conditions
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)


Fishsize		Feedsite	Water temperature							
g	cm	mm	4° C	6° C	8° C	10° C	12° C	14° C	16° C	18° C
150-350	22-31	4,5	0,6	0,7	0,8	1,0	1,2	1,3	1,4	1,3
350-600	31-36	4,5	0,5	0,6	0,7	0,8	1,0	1,1	1,2	1,1
>600	>36	4,5	0,4	0,5	0,6	0,7	0,9	1,0	1,1	1,0

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA CLASSIC

CARP | 25 kg Bag

Declaration	2,5 mm	4 mm 6 mm 9 mm
Crude protein	35 %	30 %
Crude fat	12 %	8,0 %
Crude fiber	3,0 %	3,5 %
Phosphorus	1,4 %	1,20 %
Vitamin A	10000 I.U.	8000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	175 mg	175 mg
Digestible Energy	15,0 MJ	14,0 MJ

Structure**Composition**

Wheat,
Poultry meal,
Distillers grain,
Rapeseed cake,
Sunflower concentrate,
Faba bean,
Fish meal SP,
Hemoglobin powder,
Rapeseed oil,
Poultry fat,
Fish oil

Features

- Extruded, slowly sinking growth feed for carp
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- With fish oil for high omega-3 content in meat
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize g	Feedsizes mm	Water temperature							
		10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
8-100	2,5	1,0	1,6	3,6	4,5	5,3	5,8	5,3	4,8
100-350	4	0,7	1,2	2,8	3,4	4,0	4,4	4,0	3,6
350-1000	6	0,4	1,0	2,2	2,7	3,2	3,5	3,2	2,8
>1000	9	0,4	0,7	1,5	1,9	2,3	2,6	2,3	2,0

The recommended values are approximate. The amount of feed must be adapted to the relations of production.



AQUA OMEGA

CARP | 25 kg Bag

Declaration

4 mm | 6 mm | 9 mm | 12 mm

Crude protein	34 %
Crude fat	9,5 %
Crude fiber	3,5 %
Phosphorus	1,25 %
Vitamin A	10000 I.U.
Vitamin D3	1500 I.U.
Vitamin E	175 mg
Digestible Energy	14,5 MJ

Structure



Composition

Wheat,
Distillers grain,
Poultry meal,
Rapeseed cake,
Sunflower concentrate,
Faba bean,
Hemoglobin powder,
Fish meal SP,
Poultry fat,
Rapeseed oil,
Fish oil

Features

- Extruded, slowly sinking growth feed for carp
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- With extruded linseed (Easylin) and fish oil for high omega-3 content
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize g	Feedsizes mm	Water temperature							
		10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
100-350	4	0,7	1,1	2,6	3,1	3,7	4,0	3,7	3,3
350-1000	6	0,4	0,9	2,0	2,5	2,9	3,2	2,9	2,6
>1000	6	0,35	0,7	1,4	1,7	2,1	2,3	2,1	1,8

The recommended values are approximate. The amount of feed must be adapted to the relations of production.

AQUA VITAL SWIM

CARP | 20 kg Bag

Declaration	2,5 mm	4 mm 6 mm 9 mm
Crude protein	35 %	30 %
Crude fat	12 %	8 %
Crude fiber	3,0 %	3,5 %
Phosphorus	1,40 %	1,20 %
Vitamin A	10000 I.U.	8000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	175 mg	175 mg
Digestible Energy	15,0 MJ	14,0 MJ

Structure**Composition**

Wheat,
Poultry meal,
Distillers grain,
Rapeseed cake,
Faba bean,
Sunflower concentrate,
Fish meal SP,
Hemoglobin powder,
Rapeseed oil,
Fish oil

Features

- Extruded, swimming growth feed for carp
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- With fish oil for high omega-3 content in meat
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize g	Feedsizes mm	Water temperature							
		10° C	14° C	18° C	20° C	22° C	24° C	26° C	28° C
8-100	2,5	1,0	2,0	3,0	3,5	4,3	5,0	5,0	4,0
100-350	4	1,0	1,7	2,5	3,0	3,5	4,0	4,0	3,2
350-1000	6	0,5	1,0	1,8	2,2	2,5	2,8	3,0	2,5
>1000	9	0,4	0,7	1,5	1,9	2,3	2,6	2,3	2,0

The recommended values are approximate. The amount of feed must be adapted to the relations of production



AQUA WELS SWIM

AFRICAN CATFISH | BigBag, 20 kg Bag

Declaration	2 mm	3 mm 4,5 mm
Crude protein	48 %	46 %
Crude fat	13 %	14 %
Crude fiber	1,5 %	2,0 %
Phosphorus	1,50 %	1,30 %
Vitamin A	10000 I.E.	10000 I.E.
Vitamin D3	1500 I.E.	1500 I.E.
Vitamin E	200 mg	200 mg
Digestible Energy	17,0 MJ	17,0 MJ

Structure



Composition

Fishmeal SP,
Wheat,
Poultry meal,
Sunflower concentrate,
Rapeseed oil,
Wheat gluten,
Poultry fat,
Fish oil

Features

- Extruded, floating growth feed for African catfish
- designed for warm water recirculation systems
- Fishmeal only in premium quality
- high content of fish meal
- high digestibility and best palatability
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize g	Feedsizes mm	Water temperature				
		22° C	24° C	26° C	28° C	30° C
10-50	2	3,8	4,6	5,0	4,6	4,1
50-150	3	3,0	3,6	4,0	3,6	3,2
150-500	4,5	2,0	2,3	2,6	2,3	2,0
500-1000	4,5	1,4	1,6	1,8	1,6	1,4
>1000	4,5	1,1	1,3	1,5	1,4	1,2

The recommended values are approximate. The amount of feed must be adapted to the relations of production.

AQUA CATFISH SWIM**AFRICAN CATFISH | BigBag****Declaration****3 mm | 4,5 mm | 6 mm**

Crude protein	44 %
Crude fat	14 %
Crude fiber	2,0 %
Phosphorus	1,30 %
Vitamin A	10000 I.U.
Vitamin D3	1500 I.U.
Vitamin E	200 mg
Digestible Energy	16,5 MJ

Struktur**Zusammensetzung**

Wheat,
Poultry meal,
Fishmeal SP,
Sunflower concentrate,
Soybean meal,
Rapeseed oil,
Poultry fat,
Fish oil

Eigenschaften

- Extruded, floating growth feed for African catfish
- designed for warm water recirculation systems
- Fishmeal only in premium quality
- high content of animal proteins
- Rapeseed oil in food grade
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize g	Feedsizes mm	Water temperature				
		22° C	24° C	26° C	28° C	30° C
50-150	3	3,0	3,6	4,0	3,6	3,2
150-500	4,5	2,0	2,3	2,6	2,3	2,0
500-1000	4,5	1,4	1,6	1,8	1,6	1,4
>1000	6	1,1	1,3	1,5	1,4	1,2

The recommended values are approximate. The amount of feed must be adapted to the relations of production.



AQUA UNI

EUROPEAN CATFISH | 10 kg, 25 kg Bag

Declaration	2 mm	3 mm 4 mm 6 mm
Crude protein	47 %	45 %
Crude fat	16 %	16 %
Crude fiber	2,0 %	2,0 %
Phosphorus	1,30 %	1,10 %
Vitamin A	10000 I.U.	10000 I.U.
Vitamin D3	1500 I.U.	1500 I.U.
Vitamin E	200 mg	200 mg
Digestible Energy	18,0 MJ	18,0 MJ
vitatec	++	

Structure



Composition

Wheat,
Poultry meal,
Sunflower concentrate,
Fishmeal SP,
Hemoglobin powder,
Rapeseed oil,
Faba bean,
Fish oil,
Poultry fat

Features

- Extruded, slowly sinking growth feed for european catfish
- Universally useable, even in unfavorable environmental conditions
- Fishmeal only in premium quality
- High quality animal protein from poultry from verified quality
- Rapeseed oil in food grade
- Without any soybean meal
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize g	Feedsizes mm	Water temperature							
		16° C	18° C	20° C	22° C	24° C	26° C	28° C	30° C
15-50	2	1,4	2,1	2,9	3,6	4,6	5,0	4,6	4,0
50-150	3	1,1	1,7	2,6	3,2	3,9	4,3	3,9	3,5
150-350	4	0,7	1,1	1,6	2,1	2,5	2,8	2,5	2,2
350-600	4	0,6	0,9	1,3	1,6	2,0	2,2	2,0	1,8
600-1000	6	0,5	0,7	1,0	1,3	1,6	1,8	1,6	1,4
>1000	6	0,4	0,5	0,8	1,0	1,3	1,4	1,3	1,1

The recommended values are approximate. The amount of feed must be adapted to the relations of production

AQUA CAVIAR**STURGEON | 25 kg Bag****Declaration****6 mm | 9 mm | 12 mm**

Crude protein	50 %
Crude fat	12 %
Crude fiber	2,0 %
Phosphorus	1,25 %
Vitamin A	12500 I.U.
Vitamin D3	2000 I.U.
Vitamin E	500 mg
Digestible Energy	16,0 MJ
Astaxanthin	25 mg
Immunostimulation	+++

Structure**Composition**

Poultry meal,
Wheat,
Fishmeal SP,
Sunflower concentrate,
Soybean meal,
Hemoglobin powder
Fish oil,
Rapeseed oil,
Poultry fat

Features

- Extruded, slowly sinking feed for maturing females Sturgeons for the final stage of Caviar production
- Fishmeal only in premium quality
- Poultry meal from verified suppliers
- High level of EPA and DHA from fish oil
- With special Immuno-complex and high Vitamin C level for early production of high quality caviar
- „GM free“ according to EU-VO 1829/2003

Due to natural variations in the raw materials, the composition crude fiber and phosphorus content may vary compared to the stated values. See label for further information.

Feeding guide (kg feed per 100 kg fish per day)

Fishsize kg	Feedsizes mm	Water temperature					
		14° C	16° C	18° C	20° C	22° C	24° C
3000 - 5000	9	0,25	0,35	0,40	0,45	0,50	0,45
5000 - 8000	9	0,22	0,28	0,32	0,40	0,45	0,50
8000 - 12000	12	0,18	0,22	0,28	0,36	0,43	0,40
>12000	12	0,16	0,20	0,24	0,32	0,37	0,35

The recommended values are approximate. The amount of feed must be adapted to the relations of production.

AQUA-GARANT: YOUR INTERNATIONAL PARTNER

Quality & Safety

are ensured through ongoing raw material & product controls in our own laboratory as well as all major certifications (GMP+).

Research & Development

In cooperation with acknowledged institutions the latest scientific developments and current customer requirements are implemented.

Extensive distribution network

Aqua-Garant and its partners supply most of Middle and Eastern Europe. Please visit www.aqua-garant.com for contact details of your regional partner.



GARANT TIERNÄHRUNG

Producer

Garant-Tiernahrung Ges.m.b.H.
Raiffeisenstraße 3,
3380 Pöchlarn, Austria

T +43 2757/2281-0
F +43 2757/2281-67101

E office@garant.co.at
www.garant.co.at

A company of  **RWA**